American Journal of Physiology-Cell Physiology

No. 1. JANUARY 2002

INVITED REVIEW

Role of microvillar cell surfaces in the regulation of glucose uptake and organization of energy metabolism
K. Lange C1

Characteristics of carotid body chemosensitivity in NADPH oxidase-deficient mice
L. He, J. Chen, B. Dinger, K. Sanders, K. Sundar, J. Hoidal, and S. Fidone C27

Basal lamina of ovarian follicle regulates an inward Cl^- current in differentiated granulosa cells
W. Qin, S. G. Rane, and E. K. Asem C34

Involvement of multiple kinase pathways in stimulation of gene transcription by hypertonicity
O. Nahm, S. K. Woo, J. S. Handler, and H. M. Kwon C49

Vascular endothelial cells express isoforms of protein kinase A inhibitor
H. Lum, Z. Hao, D. Gayle, P. Kumar, C. E. Patterson, and M. D. Uhler C59

Conditional immortalization of growth factor-responsive cardiac endothelial cells from H-$2K^b$-tsA58 mice
E. A. Lidington, R. M. Rao, F. M. Marelli-Berg, P. S. Jat, D. O. Haskard, and J. C. Mason C67

Regulation of transcervical permeability by two distinct P2 purinergic receptor mechanisms
G. I. Gorodeski C75

Expression, regulation, and function of $P2X_4$ purinergic receptor in human cervical epithelial cells
G. I. Gorodeski C84

Differences in calmodulin and calmodulin-binding proteins in phasic and tonic smooth muscles
P. T. Szymanski, G. Szymanska, and R. K. Goyal C94

Growth factor regulation of uncoupling protein-1 mRNA expression in brown adipocytes
B. García and M.-J. Obregón C105

Coregulation of fast contractile protein transgene and glycolytic enzyme expression in mouse skeletal muscle
P. L. Hallauer and K. E. M. Hastings C113

PPAR-γ ligands modulate effects of LPS in stimulated rat synovial fibroblasts
M.-A. Simonin, K. Bordji, S. Boyault, A. Bianchi, E. Gouze, P. Bécuwe, M. Dauça, P. Netter, and B. Terlain C125

Two-way arginine transport in human endothelial cells: TNF-α stimulation is restricted to system y^+
R. Sala, B. M. Rotoli, E. Colla, R. Visigalli, A. Parolari, O. Bussolati, G. C. Gazzola, and V. Dall'Asta C134

Molecular mechanisms of iNOS induction by IL-1β and IFN-γ in rat aortic smooth muscle cells
X. Teng, H. Zhang, C. Snead, and J. D. Catravas C144

Physiological importance of system A-mediated amino acid transport to rat fetal development
S. Cramer, M. Beveridge, M. Kilberg, and D. Novak C153

Mutations throughout the S6 region of the hKv1.5 channel alter the stability of the activation gate
T. C. Rich, S. W. Yeola, M. M. Tamkun, and D. J. Snyders C161

Differential expression of TGF-β isoforms by normal and inflammatory bowel disease intestinal myofibroblasts
B. C. McKaig, K. Hughes, P. J. Tighe, and Y. R. Mahida C172

Basolateral membrane expression of the Kir 2.3 channel is coordinated by PDZ interaction with Lin-7/CASK complex
O. Olsen, H. Liu, J. B. Wade, J. Merot, and P. A. Welling C183

Expression and regulation of 4F2hc and hLAT1 in human trophoblasts
Y. Okamoto, M. Sakata, K. Ogura, T. Yamamoto, M. Yamaguchi, K. Tasaka, H. Kurachi, M. Tsurudome, and Y. Murata C196

Characterization of RII_β and D-AKAP1 in differentiated adipocytes
A. Chaudhry, C. Zhang, and J. G. Granneman C205

SPECIAL COMMUNICATION

Voxx: a PC-based, near real-time volume rendering system for biological microscopy
J. L. Clendenon, C. L. Phillips, R. M. Sandoval, S. Fang, and K. W. Dunn C213

Cell swelling-induced ATP release and gadolinium-sensitive channels
F. Boudreault and R. Grygorczyk C219

No. 2. FEBRUARY 2002

INVITED REVIEW

Reactive species mechanisms of cellular hypoxia-reoxygenation injury
C. Li and R. M. Jackson C227

EDITORIAL FOCUS

Focus on "Extracellular ATP signaling and P2X nucleotide receptors in monolayers of primary human vascular endothelial cells"
G. R. Dubyak C242

Estrogen attenuates postexercise HSP70 expression in skeletal muscle
Z. Paroo, E. S. Dipchand, and E. G. Noble C245

Regional distribution of the Na^+ and K^+ currents around the crystalline lens of rabbit
O. A. Candia and A. C. Zamudio C252

Cyclooxygenase 2-mediated suppression of macrophage interleukin-12 production after thermal injury
M. G. Schwacha, C.-S. Chung, A. Ayala, K. I. Bland, and I. H. Chaudry C263

Osmotic stress activates Rac and Cdc42 in neutrophils: role in hypertonicity-induced actin polymerization
A. Lewis, C. Di Ciano, O. D. Rotstein, and A. Kapus C271

Role of EP_1 and EP_4 PGE_2 subtype receptors in serum-induced 3T6 fibroblast cycle progression and proliferation
T. Sanchez and J. J. Moreno C280

Extracellular ATP signaling and P2X nucleotide receptors in monolayers of primary human vascular endothelial cells
L. M. Schwiebert, W. C. Rice, B. A. Kudlow, A. L. Taylor, and E. M. Schwiebert C289

Changes in Na^+-K^+-ATPase activity influence cell attachment to fibronectin
R. Belusa, O. Aizman, R. M. Andersson, and A. Aperia C302

Influence of calcium on myosin thick filament formation in intact airway smooth muscle
A. M. Herrera, K.-H. Kuo, and C. Y. Seow C310

pH dependence and compartmentalization of zinc transported across plasma membrane of rat cortical neurons
R. A. Colvin C317

Ca^{2+} channels involved in endothelin-induced mitogenic response in carotid artery vascular smooth muscle cells
Y. Kawanabe, N. Hashimoto, and T. Masaki C330

Transgenic livers expressing mitochondrial and cytosolic CK: mitochondrial CK modulates free ADP levels
N. Askenasy and A. P. Koretsky C338

TRPC6 is a candidate channel involved in receptor-stimulated cation currents in A7r5 smooth muscle cells
S. Jung, R. Strotmann, G. Schultz, and T. D. Plant C347

Calcium dependence of exocytosis in lacrimal gland acinar cells
T. Sundermeier, G. Matthews, P. R. Brink, and B. Walcott C360

Circadian rhythm in intracellular Cl^- activity of acutely dissociated neurons of suprachiasmatic nucleus
M. Shimura, N. Akaike, and N. Harata C366

Intracellular signal transduction during gastrin-induced histamine secretion in rat gastric ECL cells
R. Zanner, G. Hapfelmeier, M. Gratzl, and C. Prinz C374

ECM is required for skeletal muscle differentiation independently of muscle regulatory factor expression
N. Osses and E. Brandan C383

Peroxynitrite increases iNOS through NF-κB and decreases prostacyclin synthase in endothelial cells
C.-L. M. Cooke and S. T. Davidge C395

RAPID COMMUNICATIONS

KCNJ10 (Kir4.1) potassium channel knockout abolishes endocochlear potential
D. C. Marcus, T. Wu, P. Wangemann, and P. Kofuji C403

Functional characterization of NBC4: a new electrogenic sodium-bicarbonate cotransporter
P. Sassani, A. Pushkin, E. Gross, A. Gomer, N. Abuladze, R. Dukkipati, G. Carpenito, and I. Kurtz C408

No. 3. MARCH 2002

EDITORIAL FOCUS

Focus on "EGF receptor downregulation depends on a trafficking motif in the distal tyrosine kinase domain"
S. F. Hamm-Alvarez C417

EGF receptor downregulation depends on a trafficking motif in the distal tyrosine kinase domain
S. M. Jones, S. K. Foreman, B. B. Shank, and R. C. Kurten C420

Vasopressin-mediated mitogenic signaling in intestinal epithelial cells
T. Chiu, S. S. Wu, C. Santiskulvong, P. Tangkijvanich, H. F. Yee, Jr., and E. Rozengurt C434

220- and 130-kDa MLCKs have distinct tissue distributions and intracellular localization patterns
E. K. Blue, Z. M. Goeckeler, Y. Jin, L. Hou, S. A. Dixon, B. P. Herring, R. B. Wysolmerski, and P. J. Gallagher C451

Ca^{2+}-activated K^+ channel inhibition by reactive oxygen species
M. A. Soto, C. González, E. Lissi, C. Vergara, and R. Latorre C461

Placental ceruloplasmin homolog is regulated by iron and copper and is implicated in iron metabolism
R. Danzeisen, C. Fosset, Z. Chariana, K. Page, S. David, and H. J. McArdle C472

Mechanotransduction through the cytoskeleton
Y. Shafrir and G. Forgacs C479

Age-dependent regulation of rat intestinal type IIb sodium-phosphate cotransporter by 1,25-$(OH)_2$ vitamin D_3
H. Xu, L. Bai, J. F. Collins, and F. K. Ghishan C487

sgk: an essential convergence point for peptide and steroid hormone regulation of ENaC-mediated Na^+ transport
C. J. Faletti, N. Perrotti, S. I. Taylor, and B. L. Blazer-Yost C494

Role of gap junctions in fluid secretion of lacrimal glands
B. Walcott, L. C. Moore, A. Birzgalis, N. Claros, V. Valiunas, T. Ott, K. Willecke, and P. R. Brink C501

PKA-dependent activation of PDE3A and PDE4 and inhibition of adenylyl cyclase V/VI in smooth muscle
K. S. Murthy, H. Zhou, and G. M. Makhlouf C508

Functional overload increases β-MHC promoter activity in rodent fast muscle via the proximal MCAT (βe3) site
J. M. Giger, F. Haddad, A. X. Qin, and K. M. Baldwin C518

Transcriptional regulation of the type I myosin heavy chain promoter in inactive rat soleus
K. A. Huey, R. R. Roy, F. Haddad, V. R. Edgerton, and K. M. Baldwin C528

Adenoviral gene transfer of PDGF downregulates *gas* gene product PDGFαR and prolongs ERK and Akt/PKB activation
Q.-P. Chen and W. V. Giannobile C538

Autocrine loops with positive feedback enable context-dependent cell signaling
S. Y. Shvartsman, M. P. Hagan, A. Yacoub, P. Dent, H. S. Wiley, and D. A. Lauffenburger C545

Hyperglycemia increases endothelial superoxide that impairs smooth muscle cell Na^+-K^+-ATPase activity
S. Gupta, E. Chough, J. Daley, P. Oates, K. Tornheim, N. B. Ruderman, and J. F. Keaney, Jr. C560

Functional reconstitution of an eicosanoid-modulated Cl^- channel from bovine tracheal smooth muscle
D. Salvail, M. Cloutier, and E. Rousseau C567

bFGF and VEGF synergistically enhance endothelial cytoprotection via decay-accelerating factor induction
J. C. Mason, E. A. Lidington, S. R. Ahmad, and D. O. Haskard C578

Apoptosis recruits two-pore domain potassium channels used for homeostatic volume regulation
J. R. Trimarchi, L. Liu, P. J. S. Smith, and D. L. Keefe C588

Traction fields, moments, and strain energy that cells exert on their surroundings
J. P. Butler, I. M. Tolić-Nørrelykke, B. Fabry, and J. J. Fredberg C595

Cell prestress. I. Stiffness and prestress are closely associated in adherent contractile cells
N. Wang, I. M. Tolić-Nørrelykke, J. Chen, S. M. Mijailovich, J. P. Butler, J. J. Fredberg, and D. Stamenović C606

Cell prestress. II. Contribution of microtubules
D. Stamenović, S. M. Mijailovich, I. M. Tolić-Nørrelykke, J. Chen, and N. Wang C617

Potentiation of nitric oxide-induced apoptosis in $p53^{-/-}$ vascular smooth muscle cells
M. R. Kibbe, J. Li, S. Nie, B. M. Choi, I. Kovesdi, A. Lizonova, T. R. Billiar, and E. Tzeng C625

Caffeine-stimulated GTH-II release involves Ca^{2+} stores with novel properties
J. D. Johnson, C. J. H. Wong, W. K. Yunker, and J. P. Chang C635

No. 4. APRIL 2002

Effect of P_i on unloaded shortening velocity of slow and fast mammalian muscle fibers
J. J. Widrick C647

Angiotensin II AT_2 receptor inhibits smooth muscle cell migration via fibronectin cell production and binding
C. Chassagne, C. Adamy, P. Ratajczak, B. Gingras, E. Teiger, E. Planus, P. Oliviero, L. Rappaport, J.-L. Samuel, and S. Meloche C654

Role of aspartate residues in Ca^{2+} affinity and permeation of the distal ECaC1
K. Jean, G. Bernatchez, H. Klein, L. Garneau, R. Sauvé, and L. Parent C665

Expression, localization, and functional evaluation of CFTR in bovine corneal endothelial cells
X. C. Sun and J. A. Bonanno C673

Redox states of type 1 ryanodine receptor alter Ca^{2+} release channel response to modulators
T. Oba, T. Murayama, and Y. Ogawa C684

cAMP-dependent protein kinase and proliferation differ in normal and polycystic kidney epithelia
C. Marfella-Scivittaro, A. Quiñones, and S. A. Orellana C693

Dual effect of fluid shear stress on volume-regulated anion current in bovine aortic endothelial cells
V. G. Romanenko, P. F. Davies, and I. Levitan C708

Secretory modulation of basolateral membrane inwardly rectified K^+ channel in guinea pig distal colonic crypts
Y. Li and D. R. Halm C719

Acid secretion and proton conductance in human airway epithelium
H. Fischer, J. H. Widdicombe, and B. Illek C736

Characteristics of hyperpolarization-activated cation currents in portal vein smooth muscle cells
I. A. Greenwood and S. A. Prestwich C744

CaM kinase II-dependent activation of tyrosine kinases and ERK1/2 in vascular smooth muscle
R. Ginnan and H. A. Singer C754

Expression of nitric oxide synthase isoforms and detection of nitric oxide in rat placenta
T. Takizawa, H. Yoshikawa, M. Yamada, and H. Morita C762

Enhancement of L-type Ca^{2+} current from neonatal mouse ventricular myocytes by constitutively active PKC-βII
K. J. Alden, P. H. Goldspink, S. W. Ruch, P. M. Buttrick, and J. García C768

Effect of HUVEC on human osteoprogenitor cell differentiation needs heterotypic gap junction communication
F. Villars, B. Guillotin, T. Amédée, S. Dutoya, L. Bordenave, R. Bareille, and J. Amédée C775

Cellular distribution of parchorin, a chloride intracellular channel-related protein, in various tissues
Y. Mizukawa, T. Nishizawa, T. Nagao, K. Kitamura, and T. Urushidani C786

Permeant but not impermeant divalent cations enhance activation of nondesensitizing α_7 nicotinic receptors
D. Eddins, L. K. Lyford, J. W. Lee, S. A. Desai, and R. L. Rosenberg C796

Distribution of ClC-2 chloride channel in rat and human epithelial tissues
J. Lipecka, M. Bali, A. Thomas, P. Fanen, A. Edelman, and J. Fritsch C805

Phosphorylation of the salivary Na^+-K^+-$2Cl^-$ cotransporter
K. Kurihara, N. Nakanishi, M. L. Moore-Hoon, and R. J. Turner C817

Regulation of COX-2 expression in human intestinal myofibroblasts: mechanisms of IL-1-mediated induction
R. C. Mifflin, J. I. Saada, J. F. Di Mari, P. A. Adegboyega, J. D. Valentich, and D. W. Powell C824

Influence of myosin isoforms on contractile properties of intact muscle fibers from *Rana pipiens*
G. J. Lutz, S. R. Sirsi, S. A. Shapard-Palmer, S. N. Bremner, and R. L. Lieber C835

Sustained norepinephrine contraction in the rat portal vein is lost when Ca^{2+} is replaced with Sr^{2+}
J. Bonnevier, U. Malmqvist, D. Sonntag, M. Schroeter, H. Nilsson, G. Pfitzer, and A. Arner C845

Proadipogenic effect of leptin on rat preadipocytes in vitro: activation of MAPK and STAT3 signaling pathways
F. Machinal-Quélin, M. N. Dieudonné, M. C. Leneveu, R. Pecquery, and Y. Giudicelli C853

An extracellular sulfhydryl group modulates background Na^+ conductance and cytosolic Ca^{2+} in pituitary cells
R. I. Fonteriz, C. Villalobos, and J. García-Sancho C864

Laminins and TGF-β maintain cell polarity and functionality of human gastric glandular epithelium
J.-R. Basque, P. Chailler, and D. Ménard C873

Activation of K^+ channels and increased migration of differentiated intestinal epithelial cells after wounding
J. N. Rao, O. Platoshyn, L. Li, X. Guo, V. A. Golovina, J. X.-J. Yuan, and J.-Y. Wang C885

Satellite cell proliferation and differentiation during postnatal growth of porcine skeletal muscle
N. T. Mesires and M. E. Doumit C899

Nongastric H-K-ATPase in rodent prostate: lobe-specific expression and apical localization
N. B. Pestov, T. V. Korneenko, G. Adams, M. Tillekeratne, M. I. Shakhparonov, and N. N. Modyanov C907

Differential roles of ICAM-1 and E-selectin in polymorphonuclear leukocyte-induced angiogenesis
M. Yasuda, S. Shimizu, K. Ohhinata, S. Naito, S. Tokuyama, Y. Mori, Y. Kiuchi, and T. Yamamoto C917

Role of reactive oxygen species and NAD(P)H oxidase in α_1-adrenoceptor signaling in adult rat cardiac myocytes
L. Xiao, D. R. Pimentel, J. Wang, K. Singh, W. S. Colucci, and D. B. Sawyer C926

Heterologous desensitization of EGF receptors and PDGF receptors by sequestration in caveolae
S. V. Matveev and E. J. Smart C935

No. 5. MAY 2002

INVITED REVIEW

Mechanisms of normal and tumor-derived angiogenesis
M. Papetti and I. M. Herman C947

EDITORIAL FOCUS

From genetics to cellular physiology. Focus on "Regulation of transferrin-induced endocytosis by wild-type and C282Y-mutant HFE in transfected HeLa cells"
C. T. Okamoto C971

TRANSLATIONAL PHYSIOLOGY

Regulation of transferrin-induced endocytosis by wild- type and C282Y-mutant HFE in transfected HeLa cells
L. Schwake, A. W. Henkel, H. D. Riedel, T. Schlenker, M. Both, A. Migala, B. Hadaschik, N. Henfling, and W. Stremmel C973

EDITORIAL FOCUS

β-Adrenergic receptors and Ca^{2+}. Focus on "β-Adrenergic potentiation of endoplasmic reticulum Ca^{2+} release in brown fat cells"
G. E. Breitwieser C980

Focus on "Cholangiocytes exhibit dynamic, actin-dependent apical membrane turnover"
P. S. Tietz and N. F. LaRusso C982

Calcineurin differentially regulates maintenance and growth of phenotypically distinct muscles
P. O. Mitchell, S. T. Mills, and G. K. Pavlath C984

Myostatin is an inhibitor of myogenic differentiation
R. Ríos, I. Carneiro, V. M. Arce, and J. Devesa C993

Regulation of intracellular calcium in N1E-115 neuroblastoma cells: the role of Na^+/Ca^{2+} exchange
K. L. Kopper and J. S. Adorante C1000

Mechanism of constrictive vascular remodeling by homocysteine: role of PPAR
V. S. Mujumdar, C. M. Tummalapalli, G. M. Aru, and S. C. Tyagi C1009

β-Adrenergic potentiation of endoplasmic reticulum Ca^{2+} release in brown fat cells
E. V. Leaver and P. A. Pappone C1016

Time-dependent changes in expression of troponin subunit isoforms in unloaded rat soleus muscle
L. Stevens, B. Bastide, P. Kischel, D. Pette, and Y. Mounier C1025

Human Na^+/H^+ exchanger isoform 6 is found in recycling endosomes of cells, not in mitochondria
C. L. Brett, Y. Wei, M. Donowitz, and R. Rao C1031

Cholangiocytes exhibit dynamic, actin-dependent apical membrane turnover
R. B. Doctor, R. Dahl, L. Fouassier, G. Kilic, and J. G. Fitz C1042

VEGF-induced mobilization of caveolae and increase in permeability of endothelial cells
J. Chen, F. Braet, S. Brodsky, T. Weinstein, V. Romanov, E. Noiri, and M. S. Goligorsky C1053

H^+-linked transport of salicylic acid, an NSAID, in the human trophoblast cell line BeWo
A. Emoto, F. Ushigome, N. Koyabu, H. Kajiya, K. Okabe, S. Satoh, K. Tsukimori, H. Nakano, H. Ohtani, and Y. Sawada C1064

Excess plasma membrane and effects of ionic amphipaths on mechanics of outer hair cell lateral wall
N. Morimoto, R. M. Raphael, A. Nygren, and W. E. Brownell C1076

Estrogen pretreatment protects males against hypoxia-induced immune depression
M. W. Knöferl, M. G. Schwacha, D. Jarrar, M. K. Angele, K. Fragoza, K. I. Bland, and I. H. Chaudry C1087

Shortening velocity and myosin heavy- and light-chain isoform mRNA in rabbit arterial smooth muscle cells
J. J. Sherwood and T. J. Eddinger C1093

CLIC1 inserts from the aqueous phase into phospholipid membranes, where it functions as an anion channel
B. M. Tulk, S. Kapadia, and J. C. Edwards C1103

Beneficial effect of taurine depletion on osmotic sodium and calcium loading during chemical hypoxia
S. W. Schaffer, V. Solodushko, and D. Kakhniashvili C1113

Nonselective cation conductance activated by muscarinic and purinergic receptors in rat spiral ganglion neurons
K. Ito and D. Dulon C1121

Contribution of Na^+-K^+-Cl^- cotransporter to high-$[K^+]_o$- induced swelling and EAA release in astrocytes
G. Su, D. B. Kintner, and D. Sun C1136

Astrocytes from Na^+-K^+-Cl^- cotransporter-null mice exhibit absence of swelling and decrease in EAA release
G. Su, D. B. Kintner, M. Flagella, G. E. Shull, and D. Sun C1147

Rapid and dynamic regulation of TGF-β receptors on blood vessels and fibroblasts during ischemia-reperfusion injury
R. Mortazavi-Haghighat, K. Taghipour-Khiabani, S. David, C. L. Kerrigan, and A. Philip C1161

Domain-domain associations in cystic fibrosis transmembrane conductance regulator
W. Wang, Z. He, T. J. O'Shaughnessy, J. Rux, and W. W. Reenstra C1170

Involvement of human PECAM-1 in angiogenesis and in vitro endothelial cell migration
G. Cao, C. D. O'Brien, Z. Zhou, S. M. Sanders, J. N. Greenbaum, A. Makrigiannakis, and H. M. DeLisser C1181

No. 6. JUNE 2002

INVITED REVIEW

Nicotinic acid adenine dinucleotide phosphate: a new intracellular second messenger?
E. N. Chini and F. G. S. De Toledo C1191

Isolated mouse pancreatic β-cells show cell-specific temporal response pattern
G. Larsson-Nyrén, N. Pakhtusova, and J. Sehlin C1199

Lipopolysaccharide stimulation of ERK1/2 increases TNF-α production via Egr-1
L. Shi, R. Kishore, M. R. McMullen, and L. E. Nagy C1205

An NAD(P)H oxidase regulates growth and transcription in melanoma cells
S. S. Brar, T. P. Kennedy, A. B. Sturrock, T. P. Huecksteadt, M. T. Quinn, A. R. Whorton, and J. R. Hoidal C1212

Neuroprotective role of δ-opioid receptors in cortical neurons
J. Zhang, G. T. Gibney, P. Zhao, and Y. Xia C1225

Role of VASP in reestablishment of epithelial tight junction assembly after Ca^{2+} switch
D. W. Lawrence, K. M. Comerford, and S. P. Colgan C1235

Characterization of L-glutamine transport by a human neuroblastoma cell line
M. Wasa, H.-S. Wang, and A. Okada C1246

IL-1β-induced production of metalloproteinases by synovial cells depends on gap junction conductance
O. V. Kolomytkin, A. A. Marino, D. D. Waddell, J. M. Mathis, R. E. Wolf, K. K. Sadasivan, and J. A. Albright C1254

Hypertonicity increases cAMP in PMN and blocks oxidative burst by PKA-dependent and -independent mechanisms
T. Orlic, W. H. Loomis, A. Shreve, S. Namiki, and W. G. Junger C1261

Changes in contractile properties of skeletal muscle during developmentally programmed atrophy and death
L. M. Schwartz and R. L. Ruff C1270

Functional characterization of human NBC4 as an electrogenic Na^+-HCO_3^- cotransporter (NBCe2)
L. V. Virkki, D. A. Wilson, R. D. Vaughan-Jones, and W. F. Boron C1278

Polyamine depletion prevents camptothecin-induced apoptosis by inhibiting the release of cytochrome *c*
Q. Yuan, R. M. Ray, and L. R. Johnson C1290

Myosin light chain phosphorylation facilitates in vivo myosin filament reassembly after mechanical perturbation
D. Qi, R. W. Mitchell, T. Burdyga, L. E. Ford, K.-H. Kuo, and C. Y. Seow C1298

Effects of glucose on contractile function, $[Ca^{2+}]_i$, and glycogen in isolated mouse skeletal muscle
I. Helander, H. Westerblad, and A. Katz C1306

Ligand-regulated secretion of recombinant annexin V from cultured thyroid epithelial cells
X. Wang, M. A. Kaetzel, S. E. Yoo, P. S. Kim, and J. R. Dedman C1313

Novel regulation of adrenomedullin receptor by PDGF: role of receptor activity modifying protein-3
W. Nowak, N. Parameswaran, C. S. Hall, N. Aiyar, H. V. Sparks, and W. S. Spielman C1322

Decreased 5α-dihydrotestosterone catabolism suppresses T lymphocyte functions in males after trauma-hemorrhage
R. Zheng, T. S. A. Samy, C. P. Schneider, L. W. Rue, III, K. I. Bland, and I. H. Chaudry C1332

Arachidonic acid mediates dual effect of TNF-α on Ca^{2+} transients and contraction of adult rat cardiomyocytes
A. Amadou, A. Nawrocki, M. Best-Belpomme, C. Pavoine, and F. Pecker C1339

Regulation of apoptosis in the endocardial cushions of the developing chick heart
W. M. Keyes and E. J. Sanders C1348

Sphingosine 1-phosphate induces Ca^{2+} transients and cytoskeletal rearrangement in C_2C_{12} myoblastic cells
L. Formigli, F. Francini, E. Meacci, M. Vassalli, D. Nosi, F. Quercioli, B. Tiribilli, C. Bencini, C. Piperio, P. Bruni, and S. Z. Orlandini C1361

Structural and functional relationships between Ca^{2+} puffs and mitochondria in *Xenopus* oocytes
J. S. Marchant, V. Ramos, and I. Parker C1374

Maintenance of muscle mass is not dependent on the calcineurin-NFAT pathway
E. E. Dupont-Versteegden, M. Knox, C. M. Gurley, J. D. Houlé, and C. A. Peterson C1387

Inward rectifier K^+ channel Kir2.3 is localized at the postsynaptic membrane of excitatory synapses
A. Inanobe, A. Fujita, M. Ito, H. Tomoike, K. Inageda, and Y. Kurachi C1396

Aspartate aminotransferase isotope exchange reactions: implications for glutamate/glutamine shuttle hypothesis
G. A. Kimmich, J. A. Roussie, and J. Randles C1404

Amino acids and Ca^{2+} stimulate different patterns of Ca^{2+} oscillations through the Ca^{2+}-sensing receptor
S. H. Young and E. Rozengurt C1414

In vivo microdialysis for determination of nasal liquid ion composition
B. R. Grubb, J. L. Chadburn, and R. C. Boucher C1423

ANG II and LPA induce Pyk2 tyrosine phosphorylation in intestinal epithelial cells: role of Ca^{2+}, PKC, and Rho kinase
S. S. Wu, T. Chiu, and E. Rozengurt C1432

Effect of reactive oxygen species on NH_4^+ permeation in *Xenopus laevis* oocytes
M. Cougnon, S. Benammou, F. Brouillard, P. Hulin, and G. Planelles C1445

V-type H^+-ATPase in the human eccrine sweat duct: immunolocalization and functional demonstration
D. Granger, M. Marsolais, J. Burry, and R. Laprade C1454

Direct inhibition of the cloned Kv1.5 channel by AG-1478, a tyrosine kinase inhibitor
B. H. Choi, J.-S. Choi, D.-J. Rhie, S. H. Yoon, D. S. Min, Y.-H. Jo, M.-S. Kim, and S. J. Hahn C1461

Cx40 and Cx43 expression ratio influences heteromeric/ heterotypic gap junction channel properties
G. T. Cottrell, Y. Wu, and J. M. Burt C1469

The ClC-3 chloride channel promotes acidification of lysosomes in CHO-K1 and Huh-7 cells
X. Li, T. Wang, Z. Zhao, and S. A. Weinman C1483

Coordinated expression of UT-A and UT-B urea transporters in rat testis
R. A. Fenton, G. J. Cooper, I. D. Morris, and C. P. Smith C1492

Regulation of the cardiac L-type Ca^{2+} channel by the actin-binding proteins α-actinin and dystrophin
A. Sadeghi, A. D. Doyle, and B. D. Johnson C1502

Reduced folate carrier transports thiamine monophosphate: an alternative route for thiamine delivery into mammalian cells
R. Zhao, F. Gao, and I. D. Goldman C1512